





# Table of Contents

<b>Chapter 1 Installing CaseMap</b>	<b>5</b>
<b>1 Preliminary Planning for CaseMap</b> .....	<b>5</b>
About preliminary planning .....	5
Before installation .....	7
System requirements .....	10
<b>2 Installing CaseMap</b> .....	<b>11</b>
Installing CaseMap .....	11
R /TRegistering the CaseMap Server in CaseMap.....	23
Converting local cases .....	26
Updating CaseMap versions .....	27
<b>Index</b>	<b>29</b>



## Installing CaseMap

### *Preliminary Planning for CaseMap*


About preliminary planning





---








---






Click Print if you want to print a copy of the license agreement.

4. In the **Installation Information** dialog box, review the installation information, then click **BYE**.

5. In the **8YZJi`h7UgYA Ud`GYfj Yf** dialog box, type in the CaseMap Server in the **BUa Y** field.

This dialog box only displays if you are installing CaseMap Server.





Microsoft Office plug-ins allow case users to send data from Word or Outlook to a case.

Clear the check box for a plug-in you do not want installed.

7. In the **CaseMap - Microsoft Office Plug-in for Microsoft Outlook** dialog box, verify whether the default destination folder is the appropriate location, then click **Next**





The default folder is C:\Program Files\CaseSoft\CaseMap 11.

7. In the **GHfh7cdmjb[ : ]Yg** dialog box, review the current settings, then click **BYI h**



9. Optional: Select the **Myz=k Ubhrc:j JYk 'h.Y'fYUX'a Y'Z]Y'bck** check box, if you want to do so at this time.
10. Click : **]b]g\**.
11. In the **K Y'Vza Y'rc'7UgYA Ud** dialog box, select **5M]j UH'7UgYA Ud**.

---














3. In the **FY[ ]ghfYX`7UgYA Ud`GYfj Yfg** box, select the server you want to edit.
4. Click the **9X]h**



file. It creates a brand new case and copies all information from the old case into the new one. Additionally, CaseMap changes the file extension of the older version, such as .cm10 to .001.



# Index

## - C -

### CaseMap

- installing 11
- system requirements 10
- updating 27

### CaseMap Server

- registering in CaseMap 23

### cases

- converting (local) CaseMap 26
- storing local cases, CaseMap 7

### converting

- local cases CaseMap 26

## - I -

### installing

- before installing CaseMap 7
- CaseMap 11
- prelimind2 is pea-38(o)18(n)18(g)18(i)-9(n)18(g)18( )-30(C)30(a)18(s)-38(e)18(M)-13(a)18(p)18( )-30( )-30( )-30( )-30( )18(

## - S -

- system requirements

## - UI -

- updating